


Aerial Map




Boundary Center: 37° 42' 5.7, -91° 45' 13.2

0ft 713ft 1427ft

1-34N-8W
Dent County
Missouri



Topography Hillshade



©2023 AgriData, Inc.



Low Elevation High

Source: USGS 10 meter dem

Interval(ft): 5

Min 1,096.4

Max: 1,255.9

Range: 159.5

Average: 1,187.5

Standard Deviation: 25.66 ft

0ft 713ft 1426ft



10/24/2023

1-34N-8W
Dent County
Missouri

Boundary Center: 37° 42' 5.7, -91° 45' 13.2


Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com

Topography Contours



©2023 AgriData, Inc.

Source: USGS 10 meter dem

Interval(ft): 10.0

Min: 1,096.4

Max: 1,255.9

Range: 159.5

Average: 1,187.5

Standard Deviation: 25.66 ft

0ft 743ft 1486ft



10/24/2023


1-34N-8W
Dent County
Missouri

Boundary Center: 37° 42' 5.7, -91° 45' 13.2


Maps Provided By:



Soils Map



Soils data provided by USDA and NRCS.



State: **Missouri**
 County: **Dent**
 Location: **6-34N-7W**
 Township: **Watkins**
 Acres: **142.81**
 Date: **10/24/2023**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: MO065, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans	*n NCCPI Cotton
73461	Lebanon and Hobson silt loams, 1 to 3 percent slopes	37.46	26.2%		Ile	53	47	45	41	51
73463	Lebanon and Hobson silt loams, 3 to 8 percent slopes	34.28	24.0%		IIle	51	46	43	38	47
73464	Lebanon and Hobson silt loams, 3 to 8 percent slopes, eroded	30.80	21.6%		IIIle	43	39	35	27	41
76032	Midco gravelly loam, 1 to 3 percent slopes, frequently flooded	12.86	9.0%		IIIw	59	59	44	37	43
73483	Nixa-Clarksville complex, 3 to 8 percent slopes	12.75	8.9%		IVs	41	41	34	29	32
73406	Coulstone-Clarksville complex, 15 to 35 percent slopes, very stony	6.59	4.6%		VIIs	34	34	25	17	12
73484	Nixa-Clarksville complex, 8 to 15 percent slopes	5.19	3.6%		IVs	40	40	33	27	32
73407	Coulstone-Clarksville complex, 3 to 8 percent slopes	2.88	2.0%		IVs	50	50	41	34	42
Weighted Average					3.02	*n 48.4	*n 44.8	*n 39.9	*n 34.1	*n 42.8

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.