
Hillsdale Ranch

Miami County, Kansas, 262 AC +/-









| Boundary 261.86 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
8632	Bucyrus silty clay loam, 3 to 8 percent slopes	71.14	27.17	0	76	Зе
8761	Eram-Shidler complex, 4 to 15 percent slopes	59.75	22.82	0	42	6e
8663	Clareson-Rock outcrop complex, 3 to 15 percent slopes	44.55	17.01	0	30	6e
8953	Wagstaff silty clay loam, 3 to 8 percent slopes	27.14	10.36	0	53	3e
8301	Verdigris silt loam, 0 to 1 percent slopes, frequently flooded	12.01	4.59	0	65	5w
7805	Arisburg silt loam, 1 to 3 percent slopes	10.78	4.12	0	76	2e
8951	Wagstaff silty clay loam, 1 to 3 percent slopes	10.18	3.89	0	52	3e
8959	Wagstaff-Summit complex, 3 to 8 percent slopes	10.01	3.82	0	57	3e
8911	Summit silty clay loam, 1 to 3 percent slopes	7.67	2.93	0	62	2e
8631	Bucyrus silty clay loam, 1 to 3 percent slopes	6.26	2.39	0	77	2e
8101	Hepler silt loam, 0 to 2 percent slopes, occasionally flooded	1.6	0.61	0	87	2w
8302	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	0.77	0.29	0	87	2w
TOTALS		261.8 6(*)	100%	-	55.58	4.18

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water