
## Red Bayou Ranch +/- 360 acres

Oklahoma, AC +/-





## | Boundary 359.51 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
EuC	Eufaula soils, 3 to 8 percent slopes	197.9 7	55.07	0	33	4e
Nc	Ashport clay loam, 0 to 1 percent slopes, occasionally flooded	41.8	11.63	0	70	2w
W	Water	24.09	6.7	0	-	8
Ls	Gaddy loam, 0 to 1 percent slopes, frequently flooded	22.93	6.38	0	29	5w
Rn	Roebuck and Garvin soils, 0 to 1 percent slopes, frequently flooded	20.91	5.82	0	43	5w
Ps	Bunyan loam, 0 to 1 percent slopes, frequently flooded	18.74	5.21	0	43	5w
MsA	Slaughterville fine sandy loam, 0 to 1 percent slopes	14.34	3.99	0	50	2s
Mr	Miller clay, 0 to 1 percent slopes, occasionally flooded	7.1	1.97	0	47	4w
SbD	Weatherford fine sandy loam, 5 to 8 percent slopes	6.86	1.91	0	49	4e
MsB	Slaughterville fine sandy loam, 1 to 3 percent slopes	4.77	1.33	0	50	2e
TOTALS		359.5 1(*)	100%	-	37.42	4.1

<sup>(\*)</sup> Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water