




 Boundary

| Boundary 480.44 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
C132B	Williams-Zahl loams, 3 to 6 percent slopes	118.16	24.59	76	50	2e
JbC	Java-Betts loams, 6 to 9 percent slopes	114.99	23.93	50	50	4e
BkE	Betts-Java loams, 9 to 25 percent slopes	68.45	14.25	30	43	6e
C210A	Williams-Bowbells loams, 0 to 3 percent slopes	35.17	7.32	85	52	2c
GrA	Glenham-Prosper loams, 0 to 2 percent slopes	29.81	6.2	87	56	2c
Te	Tetonka silt loam, 0 to 1 percent slopes	29.23	6.08	57	23	4w
C135C	Zahl-Williams-Zahill complex, 6 to 9 percent slopes	18.55	3.86	56	48	4e
C026A	Tonka-Parnell complex, 0 to 1 percent slopes, Missouri Coteau	15.69	3.27	40	41	4w
C149B	Williams-Bowbells-Tonka complex, 0 to 6 percent slopes	14.27	2.97	78	50	2e
C024A	Parnell silty clay loam, 0 to 1 percent slopes, Missouri Coteau	12.97	2.7	24	32	5w
JgB	Glenham-Ethan-Prosper loams, 1 to 6 percent slopes	12.08	2.51	78	54	2e
Ho	Hoven silt loam, 0 to 1 percent slopes	5.79	1.21	15	9	6s
C153E	Zahl-Max loams, 15 to 25 percent slopes	4.68	0.97	32	37	7e
Pk	Plankinton silt loam	0.38	0.08	52	25	4w
GpB	Glenham-Prosper-Plankinton complex, 0 to 6 percent slopes	0.22	0.05	79	45	2e
TOTALS		480.44(*)	100%	58.98	46.48	3.49

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water