
Perkins 941

Perkins County, South Dakota, 941.8 AC +/-







| Boundary 942.52 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
RcC	Reeder-Lantry loams, 2 to 9 percent slopes	257.3 2	27.3	67	34	2e
Sc	Shambo loam	231.1 1	24.52	86	43	2c
AdD	Amor-Cabba loams, 9 to 15 percent slopes	143.2 8	15.2	40	23	4e
BfA	Belfield-Rhoades complex, 0 to 2 percent slopes	135.2 8	14.35	61	35	3s
RmC	Rhoades-Daglum-Rhoades, severely eroded complex, 0 to 9 percent slopes	53.44	5.67	22	20	6s
VaD	Vebar-Flasher-Tally complex, 9 to 15 percent slopes	44.82	4.76	32	23	6e
Fd	Fluvaquents, saline	31.88	3.38	5	4	7s
FbA	Farnuf-Daglum loams, 0 to 3 percent slopes	31.85	3.38	67	31	2c
VaC	Vebar-Cohagen fine sandy loams, 6 to 9 percent slopes	6.65	0.71	41	25	4e
VbA	Vebar-Parshall fine sandy loams, 0 to 3 percent slopes	6.22	0.66	66	32	3e
FaA	Farnuf loam, 0 to 2 percent slopes	0.67	0.07	85	41	2c
TOTALS		942.5 2(*)	100%	60.2	32.17	3.05

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water