
Jones 63 Hardin

Tennessee, AC +/-



The information contained herein was obtained from sources deemed to be reliable.
Land id® Services makes no warranties or guarantees as to the completeness or accuracy thereof.

Boundary 62.53 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
BeF	Bodine-Guin complex, 20 to 35 percent slopes (Bodine-Saffell)	20.89	33.4	0	11	7s
BrC	Brandon silt loam, 5 to 8 percent slopes	11.23	17.95	0	75	3e
SrC	Silerton silt loam, 5 to 8 percent slopes	6.91	11.05	0	76	3e
Ec	Ennis cherty silt loam	3.87	6.19	0	64	2w
SrD	Silerton silt loam, 8 to 12 percent slopes	3.14	5.02	0	75	4e
SaD	Saffell gravelly sandy loam, 5 to 12 percent slopes	3.07	4.91	0	60	4e
BrD	Brandon silt loam, 8 to 12 percent slopes	2.57	4.11	0	74	3e
Em	Ennis silt loam (Pruitton)	2.07	3.31	0	77	2w
SsB3	Silerton silty clay loam, 2 to 5 percent slopes, severely eroded	1.97	3.15	0	68	3e
LaD2	Landisburg cherty silt loam, 5 to 12 percent slopes, eroded (Tasso)	1.7	2.72	0	68	4e
DkB2	Dulac silt loam, 2 to 5 percent slopes, moderately eroded	1.66	2.65	0	28	2e
DkB	Dulac silt loam, 2 to 5 percent slopes	1.51	2.41	0	66	2e
SrC2	Silerton silt loam, 5 to 8 percent slopes, eroded	1.49	2.38	0	72	4e
MoC	Mountview silt loam, 5 to 8 percent slopes	0.45	0.72	0	76	3e
TOTALS		62.53(*)	100%	-	50.38	4.34

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing **Cultivation**

(c) climatic limitations (e) susceptibility to erosion
(s) soil limitations within the rooting zone (w) excess of water