


Aerial Map



©2026 AgriData, Inc.



**HIGH
POINT**
LAND COMPANY

Maps Provided By:



surety
CUSTOMIZED ONLINE MAPPING

© AgriData, Inc. 2025 www.AgriDataInc.com

Boundary Center: 43° 17' 55.28, -91° 34' 39.87



17-98N-6W
Allamakee County
Iowa

0ft 819ft 1639ft



7/10/2026

Soils Map



State: **Iowa**
 County: **Allamakee**
 Location: **17-98N-6W**
 Township: **Union Prairie**
 Acres: **136.23**
 Date: **7/10/2026**



**HIGH
POINT**
LAND COMPANY

Maps Provided By:



Area Symbol: IA005, Soil Area Version: 29

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	CSR2**
163C2	Fayette silt loam, 5 to 9 percent slopes, moderately eroded	64.85	47.6%		> 6.5ft.	Well drained	IIIe	72
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	35.15	25.8%		> 6.5ft.	Well drained	IIIe	46
162B2	Downs silt loam, 2 to 6 percent slopes, moderately eroded	19.22	14.1%		> 6.5ft.	Well drained	Ile	87
163D	Fayette silt loam, 9 to 14 percent slopes	7.45	5.5%		> 6.5ft.	Well drained	IIIe	49
163B2	Fayette silt loam, 2 to 6 percent slopes, moderately eroded	4.16	3.1%		> 6.5ft.	Well drained	Ile	80
703D	Dubuque silt loam, 9 to 14 percent slopes	2.48	1.8%		2.3ft. (Lithic bedrock)	Well drained	IVe	14
163C	Fayette silt loam, 5 to 9 percent slopes	2.08	1.5%		> 6.5ft.	Well drained	IIIe	75
499G	Nordness silt loam, 25 to 40 percent slopes	0.61	0.4%		1.2ft. (Lithic bedrock)	Well drained	VIIIs	5
478G	Nordness-Rock outcrop complex, 25 to 60 percent slopes	0.16	0.1%		1.2ft. (Lithic bedrock)	Well drained	VIIIs	5
499F	Nordness silt loam, 18 to 25 percent slopes	0.07	0.1%		1.2ft. (Lithic bedrock)	Well drained	VIIIs	5
Weighted Average							2.87	65

**IA has updated the CSR values for each county to CSR2.


*c: Using Capabilities Class Dominant Condition Aggregation Method

Symbol	Name	Description
--------	------	-------------



	Symbol	Name	Description
	ERO	Severely eroded spot	An area where on the average 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units that are named severely eroded, very severely eroded, or gullied. Typically 0.5 to 2 acres.
	SNC	Sinkhole not crossable with tillage implements	A depression formed either by solution of the surficial bedrock, or by collapse of underlying caves. These areas are not crossable with farm machinery. Typically 0.5 to 2 acres.

Topography Hillshade



©2026 AgriData, Inc.



Maps Provided By:



© AgriData, Inc. 2025

www.AgriDataInc.com

Source: USGS 3 meter dem

Interval(ft): 4


Min: 1,144.5

Max: 1,236.5

Range: 92.0

Average: 1,205.4

Standard Deviation: 16.86 ft





7/10/2026

17-98N-6W
Allamakee County
Iowa

Boundary Center: 43° 17' 55.28, -91° 34' 39.87

Wetlands Map



State: **Iowa**
 Location: **17-98N-6W**
 County: **Allamakee**
 Township: **Union Prairie**
 Date: **7/10/2026**



**HIGH
POINT**
LAND COMPANY

Maps Provided By:



surety
CUSTOMIZED ONLINE MAPPING

© AgriData, Inc. 2025

www.AgriDataInc.com



0ft 1159ft 2318ft

Classification Code	Type	Acres
	Total Acres	0.00

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>