



Entire Parcel Soils Map



©2026 AgriData, Inc.

Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Scott**
 Location: **13-114N-24W**
 Township: **St. Lawrence**
 Acres: **86.68**
 Date: **9/9/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN139, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Productivity Index	*n NCCPI Overall
Sc	Stony land	39.29	45.2%		> 6.5ft.				5	
DbA	Dickman sandy loam, 0 to 2 percent slopes	10.95	12.6%		> 6.5ft.	Somewhat excessively drained	III s		49	53
DbB	Dickman sandy loam, 2 to 6 percent slopes	10.02	11.6%		> 6.5ft.	Somewhat excessively drained	III e		49	52
HdA	Sparta fine sand, 0 to 2 percent slopes	8.60	9.9%		> 6.5ft.	Excessively drained	IV s	Ile	39	53
DaA	Dakota loam, 0 to 2 percent slopes	6.14	7.1%		> 6.5ft.	Well drained	IIs		69	76
EaA	Estherville loam and sandy loam, 0 to 2 percent slopes	3.69	4.3%		> 6.5ft.	Somewhat excessively drained	III s		44	62
EbB	Salida gravelly sandy loam, 0 to 6 percent slopes	3.38	3.9%		> 6.5ft.	Excessively drained	VI s		25	34
Ia	Isanti fine sandy loam	1.52	1.8%		> 6.5ft.	Very poorly drained	IV w		40	72
HdB	Sparta fine sand, 2 to 6 percent slopes	1.19	1.4%		> 6.5ft.	Excessively drained	IV s	Ile	39	53
HdC	Sparta fine sand, 6 to 12 percent slopes	0.95	1.1%		> 6.5ft.	Excessively drained	VI s		35	52
EbB2	Salida gravelly sandy loam, 0 to 6 percent slopes, moderately eroded	0.60	0.7%		> 6.5ft.	Excessively drained	VI s		25	31
Ta	Terrace escarpments	0.21	0.2%		> 6.5ft.				5	

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Productivity Index	*n NCCPI Overall
DaB	Dakota loam, 2 to 6 percent slopes	0.08	0.1%		> 6.5ft.	Well drained	Ile		69	75
TcB	Terril loam, 2 to 6 percent slopes	0.06	0.1%		> 6.5ft.	Well drained	Ile		99	88
Weighted Average							*-	*-	27.7	*n 30.2


*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method


*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Tillable Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Scott**
 Location: **13-114N-24W**
 Township: **St. Lawrence**
 Acres: **9.57**
 Date: **9/9/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN139, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Productivity Index	*n NCCPI Overall
DaA	Dakota loam, 0 to 2 percent slopes	4.84	50.5%		> 6.5ft.	Well drained	IIs		69	76
DbB	Dickman sandy loam, 2 to 6 percent slopes	3.94	41.2%		> 6.5ft.	Somewhat excessively drained	IIle		49	52
HdC	Sparta fine sand, 6 to 12 percent slopes	0.57	6.0%		> 6.5ft.	Excessively drained	VIIs		35	52
HdB	Sparta fine sand, 2 to 6 percent slopes	0.22	2.3%		> 6.5ft.	Excessively drained	IVIs	Ile	39	53
Weighted Average							2.70	*-	58.1	*n 64.2

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.