


Aerial Map



©2026 AgriData, Inc.

Boundary Center: 43° 35' 21.51, -95° 25' 23.78



32-102N-38W  
Jackson County  
Minnesota




Maps Provided By  
**surety**  
CUSTOMIZED ONLINE MAPPING  
© AgriData, Inc. 2025 www.AgriDataInc.com


10/28/2026

Field borders provided by Farm Service Agency as of 5/21/2008.

# Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**  
 County: **Jackson**  
 Location: **32-102N-38W**  
 Township: **Ewington**  
 Acres: **76.19**  
 Date: **10/28/2026**

Maps Provided By  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN063, Soil Area Version: 22

| Code                    | Soil Description                                              | Acres | Percent of field | PI Legend | Restrictive Layer | Soil Drainage           | Non-Irr Class *c | Productivity Index | *n NCCPI Overall |
|-------------------------|---------------------------------------------------------------|-------|------------------|-----------|-------------------|-------------------------|------------------|--------------------|------------------|
| 102B                    | Clarion loam, 2 to 6 percent slopes                           | 32.10 | 42.2%            |           | > 6.5ft.          | Moderately well drained | Ile              | 95                 | 83               |
| 1833                    | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 18.27 | 24.0%            |           | > 6.5ft.          | Poorly drained          | Ilw              | 83                 | 83               |
| 118                     | Crippin loam, 1 to 3 percent slopes                           | 11.74 | 15.4%            |           | > 6.5ft.          | Somewhat poorly drained | Ie               | 100                | 86               |
| 197                     | Kingston silty clay loam, 1 to 3 percent slopes               | 9.01  | 11.8%            |           | > 6.5ft.          | Somewhat poorly drained | Iw               | 100                | 91               |
| 113                     | Webster clay loam, 0 to 2 percent slopes                      | 4.14  | 5.4%             |           | > 6.5ft.          | Poorly drained          | Ilw              | 93                 | 83               |
| 1914                    | Lura silty clay, nearly level                                 | 0.93  | 1.2%             |           | > 6.5ft.          | Poorly drained          | Ilw              | 81                 | 68               |
| <b>Weighted Average</b> |                                                               |       |                  |           |                   |                         | <b>1.73</b>      | <b>93.2</b>        | <b>*n 84.2</b>   |


\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

|  | Symbol | Name                         | Description                                                                                                                                                                    |
|--|--------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | WDR    | Knoll of better drained soil | A knoll of better drained soil that is at least two drainage classes drier than the named soils in the surrounding map unit. Typically 0.5 to 3 acres.                         |
|  | WET    | Wet spot                     | A somewhat poorly drained to very poorly drained area that is at least two drainage classes wetter than the named soils in the surrounding map unit. Typically 0.5 to 3 acres. |

Soils data provided by USDA and NRCS.


# Topography Hillshade



©2026 AgriData, Inc.



Source: USGS 1 meter dem  
Interval(ft): 3  
Min: 1,486.3  
Max: 1,527.0  
Range: 40.7  
Average: 1,503.7  
Standard Deviation: 7.25 ft



32-102N-38W  
Jackson County  
Minnesota

Boundary Center: 43° 35' 21.51, -95° 25' 23.78

Maps Provided By:



© AgriData, Inc. 2025 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.

# Wetlands Map



State: **Minnesota**  
 Location: **32-102N-38W**  
 County: **Jackson**  
 Township: **Ewington**  
 Date: **10/28/2026**

Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2025 www.AgriDataInc.com



0ft 846ft 1692ft

| Classification Code | Type     | Acres |
|---------------------|----------|-------|
| R4SBCx              | Riverine | 1.66  |
| Total Acres         |          | 1.66  |

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>