



Aerial Map



©2026 AgriData, Inc.



Boundary Center: 41° 43' 13.37, -93° 50' 19.74



23-80N-26W
Dallas County
Iowa



Soils Map



State: **Iowa**
 County: **Dallas**
 Location: **23-80N-26W**
 Township: **Grant**
 Acres: **104.02**
 Date: **8/5/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IA049, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
L638D2	Omsrud-Storden complex, Bemis moraine, 10 to 16 percent slopes, moderately eroded	56.29	54.1%		> 6.5ft.	Well drained	Ive	0.0	0.0	0.0	0.0	0.0	0.0	53
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	38.33	36.8%		> 6.5ft.	Well drained	Ile	80.0	2.2	23.2	1.4	2.4	0.0	88
L62C2	Storden loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	6.20	6.0%		> 6.5ft.	Well drained	Ille	0.0	0.0	0.0	0.0	0.0	0.0	64
L55	Nicollet loam, 1 to 3 percent slopes	2.61	2.5%		> 6.5ft.	Somewhat poorly drained	Ie	0.0	0.0	0.0	0.0	0.0	0.0	91

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
L62E2	Storden loam, Bemis moraine, 10 to 22 percent slopes, moderately eroded	0.51	0.5%		> 6.5ft.	Well drained	IVe	0.0	0.0	0.0	0.0	0.0	0.0	32
829D2	Zenor-Storden complex, 9 to 14 percent slopes, moderately eroded	0.08	0.1%		> 6.5ft.	Well drained	IVe	80.0	2.2	23.2	1.4	2.4	7.5	29
Weighted Average							3.13	29.5	0.8	8.6	0.5	0.9	*~	67.4



**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
	ERO	Severely eroded spot	An area where, on the average, 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units in which severely eroded, very severely eroded, or gullied is part of the map unit name. Typically __ to __ acres.

Soils Map



State: **Iowa**
 County: **Dallas**
 Location: **23-80N-26W**
 Township: **Grant**
 Acres: **74**
 Date: **8/5/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IA049, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	36.34	49.1%		> 6.5ft.	Well drained	Ile	80.0	2.2	23.2	1.4	2.4	0.0	88
L638D2	Omsrud-Storden complex, Bemis moraine, 10 to 16 percent slopes, moderately eroded	29.22	39.5%		> 6.5ft.	Well drained	IVe	0.0	0.0	0.0	0.0	0.0	0.0	53
L62C2	Storden loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	6.01	8.1%		> 6.5ft.	Well drained	IIle	0.0	0.0	0.0	0.0	0.0	0.0	64
L55	Nicollet loam, 1 to 3 percent slopes	2.43	3.3%		> 6.5ft.	Somewhat poorly drained	Ie	0.0	0.0	0.0	0.0	0.0	0.0	91

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
Weighted Average							2.84	39.3	1.1	11.4	0.7	1.2	*-	72.3


**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
	ERO	Severely eroded spot	An area where, on the average, 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units in which severely eroded, very severely eroded, or gullied is part of the map unit name. Typically__to__acres.

Topography Hillshade



©2026 AgriData, Inc.



Source: USGS 1 meter dem

Interval(ft): 3


Min: 941.0

Max: 1,034.3

Range: 93.3

Average: 1,002.2

Standard Deviation: 18.73 ft



23-80N-26W
Dallas County
Iowa

Maps Provided By:





© AgriData, Inc. 2025

www.AgriDataInc.com


Boundary Center: 41° 43' 13.37, -93° 50' 19.74

Wetlands Map



State: **Iowa**
 Location: **23-80N-26W**
 County: **Dallas**
 Township: **Grant**
 Date: **8/5/2026**

Maps Provided By:



Classification Code	Type	Acres
	Total Acres	0.00

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>