



Aerial Map




Boundary Center: 41° 43' 36.41, -93° 50' 19.87




23-80N-26W
Dallas County
Iowa



Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Dallas**
 Location: **23-80N-26W**
 Township: **Grant**
 Acres: **82.73**
 Date: **8/6/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: IA049, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	37.99	46.0%		> 6.5ft.	Well drained	Ille	80.0	2.2	23.2	1.4	2.4	0.0	88
259	Biscay clay loam, 0 to 2 percent slopes	11.51	13.9%		> 6.5ft.	Poorly drained	Ilw	166.4	3.5	48.3	3.0	5.0	7.5	52
L138C2	Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	11.31	13.7%		> 6.5ft.	Well drained	Ille	0.0	0.0	0.0	0.0	0.0	0.0	83
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	9.60	11.6%		> 6.5ft.	Poorly drained	Ilw	0.0	0.0	0.0	0.0	0.0	0.0	88

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**
L638D2	Omsrud-Storden complex, Bemis moraine, 10 to 16 percent slopes, moderately eroded	8.88	10.7%		> 6.5ft.	Well drained	IVe	0.0	0.0	0.0	0.0	0.0	0.0	53
L62E2	Storden loam, Bemis moraine, 10 to 22 percent slopes, moderately eroded	1.57	1.9%		> 6.5ft.	Well drained	IVe	0.0	0.0	0.0	0.0	0.0	0.0	32
201B	Coland-Terril complex, 2 to 5 percent slopes	1.36	1.6%		> 6.5ft.	Poorly drained	IIw	208.0	4.4	60.3	3.7	6.2	11.4	74
L55	Nicollet loam, 1 to 3 percent slopes	0.51	0.6%		> 6.5ft.	Somewhat poorly drained	Ie	0.0	0.0	0.0	0.0	0.0	0.0	91
Weighted Average							2.38	63.3	1.6	18.4	1.1	1.9	1.2	77.3


**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.


*c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
	ERO	Severely eroded spot	An area where, on the average, 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units in which severely eroded, very severely eroded, or gullied is part of the map unit name. Typically__to__acres.

Topography Hillshade



©2026 AgriData, Inc.



Source: USGS 3 meter dem

Interval(ft): 3

Min: 868.0

Max: 993.3

Range: 125.3

Average: 932.5

Standard Deviation: 28.54 ft

A horizontal number line with three tick marks. The first tick mark is labeled '0ft'. The second tick mark is labeled '565ft'. The third tick mark is labeled '1129ft'. The segment between 0 and 565 is labeled '565 ft' above it. The segment between 565 and 1129 is labeled '564 ft' above it.



8/5/2026

23-80N-26W
Dallas County
Iowa

Maps Provided By:





© AgriData, Inc. 2025

www.AgriDataInc.com

Boundary Center: 41° 43' 36.41, -93° 50' 19.87

Wetlands Map



State: **Iowa**
 Location: **23-80N-26W**
 County: **Dallas**
 Township: **Grant**
 Date: **8/5/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



0ft 865ft 1730ft

Classification Code	Type	Acres
PEM1C	Freshwater Emergent Wetland	3.00
R4SBC	Riverine	0.97
PFO1A	Freshwater Forested/Shrub Wetland	0.38
PEM1Cx	Freshwater Emergent Wetland	0.08
	Total Acres	4.43

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>