



Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Martin**
 Location: **10-103N-32W**
 Township: **Fox Lake**
 Acres: **130.04**
 Date: **10/23/2025**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: MN091, Soil Area Version: 22

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
L107A	Canisteo-Glencoe complex, 0 to 2 percent slopes	24.19	18.6%		> 6.5ft.	Poorly drained	IIw	91	81
921C2	Clarion-Storden complex, 6 to 10 percent slopes, moderately eroded	21.46	16.5%		> 6.5ft.	Well drained	IIIe	87	71
35	Blue Earth mucky silt loam, 0 to 1 percent slopes	20.37	15.7%		> 6.5ft.	Very poorly drained	IIIw	77	74
102B	Clarion loam, 2 to 6 percent slopes	16.27	12.5%		> 6.5ft.	Moderately well drained	Ile	95	83
336	Delft clay loam, 0 to 2 percent slopes	12.96	10.0%		> 6.5ft.	Poorly drained	IIw	94	79
920D2	Omsrud-Storden-Pilot Grove complex, 10 to 16 percent slopes, moderately eroded	10.20	7.8%		> 6.5ft.	Well drained	IVe	65	62
886	Nicollet-Crippin complex	6.62	5.1%		> 6.5ft.	Somewhat poorly drained	I	100	83
818	Lemond-Linder complex	5.79	4.5%		> 6.5ft.	Poorly drained	IIw	66	64
L84A	Glencoe clay loam, 0 to 1 percent slopes	4.60	3.5%		> 6.5ft.	Very poorly drained	IIIw	86	77
118	Crippin loam, 1 to 3 percent slopes	3.69	2.8%		> 6.5ft.	Somewhat poorly drained	Ie	100	86
887B	Clarion-Swanlake complex, 2 to 6 percent slopes	2.88	2.2%		> 6.5ft.	Moderately well drained	Ile	92	82
L83A	Webster clay loam, 0 to 2 percent slopes	1.01	0.8%		> 6.5ft.	Poorly drained	IIw	93	83
Weighted Average							2.43	86.4	*n 76.2

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

	Symbol	Name	Description
	GRA	Gravelly spot	A spot where the surface layer has more than 35 percent, by volume, rock fragments that are mostly less than 3 inches in diameter in an area that has less than 15 percent rock fragments. Typically 0.5 to 3 acres.