



Aerial Map



©2026 AgriData, Inc.

Boundary Center: 42° 50' 37.14, -92° 39' 38



30-93N-15W
Butler County
Iowa




Maps Provided By:
surety
CUSTOMIZED ONLINE MAPPING
© AgriData, Inc. 2025 www.AgriDataInc.com


4/3/2026

Field borders provided by Farm Service Agency as of 5/21/2008.

Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Butler**
 Location: **30-93N-15W**
 Township: **Fremont**
 Acres: **233.54**
 Date: **4/3/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: IA023, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*n NCC Over
84	Clyde silty clay loam, 0 to 3 percent slopes	69.19	29.6%		> 6.5ft.	Poorly drained	IIw	224.0	4.7	65.0	4.0	6.7	11.7	88	75	
198B	Floyd loam, 1 to 4 percent slopes	56.34	24.1%		> 6.5ft.	Somewhat poorly drained	IIw	222.4	5.8	64.5	4.0	6.7	10.8	89	75	
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	54.14	23.2%		> 6.5ft.	Poorly drained	IIw	166.4	3.5	48.3	3.0	5.0	0.0	54	68	
394B	Ostrander loam, 2 to 5 percent slopes	27.37	11.7%		> 6.5ft.	Well drained	Ile	225.6	6.3	65.4	4.1	6.8	11.5	88	85	
798B	Protivin loam, 1 to 4 percent slopes	11.45	4.9%		> 6.5ft.	Somewhat poorly drained	Ile	193.6	5.0	56.1	3.5	5.8	10.2	61	55	
83C	Kenyon loam, 5 to 9 percent slopes	6.90	3.0%		> 6.5ft.	Moderately well drained	IIIe	209.6	5.9	60.8	3.8	6.3	10.1	85	70	

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*n NCC Over
83B	Kenyon loam, 2 to 5 percent slopes	5.54	2.4%		> 6.5ft.	Moderately well drained	Ile	225.6	6.3	65.4	4.1	6.8	10.1	90	85	
175	Dickinson fine sandy loam, 0 to 2 percent slopes	2.25	1.0%		> 6.5ft.	Well drained	IIIs	80.0	2.2	23.2	1.4	2.4	5.3	55	60	
391B	Clyde-Floyd complex, 1 to 4 percent slopes	0.26	0.1%		> 6.5ft.	Poorly drained	IIw	216.0	4.5	62.6	3.9	6.5	11.2	87	72	
783C	Cresco loam, 5 to 9 percent slopes	0.10	0.0%		> 6.5ft.	Moderately well drained	IIle	80.0	2.2	23.2	1.4	2.4	11.0	81	43	
Weighted Average							2.04	207.1	4.9	60.1	3.7	6.2	8.5	78.7	73.5	*n t

**IA has updated the CSR values for each county to CSR2.


*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
	SAN	Sandy spot	A spot where the surface layer is loamy fine sand or coarser in areas where the surface layer of the named soils in the surrounding map unit is very fine sandy loam or finer. Typically .25 to 2 acres.

Topography Hillshade



©2026 AgriData, Inc.



Source: USGS 3 meter dem

Interval(ft): 3


Min: 954.7

Max: 1,016.5

Range: 61.8

Average: 975.8

Standard Deviation: 12.89 ft



4/3/2026

30-93N-15W
Butler County
Iowa

Boundary Center: 42° 50' 37.14, -92° 39' 38



Maps Provided By:



© AgriData, Inc. 2025 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.

Wetlands Map



State: **Iowa**
 Location: **30-93N-15W**
 County: **Butler**
 Township: **Fremont**
 Date: **4/3/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



0ft 937ft 1874ft

Classification Code	Type	Acres
R4SBC	Riverine	2.55
PEM1A	Freshwater Emergent Wetland	1.91
PEM1Cx	Freshwater Emergent Wetland	1.11
PEM1C	Freshwater Emergent Wetland	0.48
Total Acres		6.05

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>