


Aerial Map



©2025 AgriData, Inc.

Boundary Center: 44° 33' 40.69, -93° 37' 56.23



30-113N-23W
Scott County
Minnesota



Maps Provided By:




surety
CUSTOMIZED ONLINE MAPPING

© AgriData, Inc. 2025 www.AgriDataInc.com


11/23/2025

Field borders provided by Farm Service Agency as of 5/21/2008.

Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Scott**
 Location: **30-113N-23W**
 Township: **Helena**
 Acres: **227.71**
 Date: **11/23/2025**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN139, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
Lf	Le Sueur-Lester complex, 1 to 6 percent slopes	51.54	22.6%		> 6.5ft.	Somewhat poorly drained	Ile	95	86
Wc	Webster-Le Sueur silty clay loams	35.63	15.6%		> 6.5ft.	Poorly drained	IIw	95	82
CaB2	Clarion loam, 2 to 6 percent slopes, moderately eroded	29.94	13.1%		> 6.5ft.	Moderately well drained	Ile	95	73
Wb	Webster-Glencoe silty clay loams	21.14	9.3%		> 6.5ft.	Poorly drained	IIw	91	80
CaC2	Clarion loam, 6 to 10 percent slopes, moderately eroded	20.77	9.1%		> 6.5ft.	Well drained	IIIe	92	70
LcC2	Lester loam, 6 to 10 percent slopes, moderately eroded	15.92	7.0%		> 6.5ft.	Well drained	IIIe	76	77
CaB	Clarion loam, 2 to 6 percent slopes	14.72	6.5%		> 6.5ft.	Moderately well drained	Ile	95	83
Bc	Blue Earth mucky silt loam, 0 to 1 percent slopes	13.21	5.8%		> 6.5ft.	Very poorly drained	IIIw	77	74
PaA	Klossner muck, 0 to 1 percent slopes	7.04	3.1%		> 6.5ft.	Very poorly drained	IIIw	77	84
LcB	Lester loam, 2 to 6 percent slopes	4.91	2.2%		> 6.5ft.	Well drained	Ile	91	82
PbA	Houghton muck, 0 to 1 percent slopes	4.77	2.1%		> 6.5ft.	Very poorly drained	IIIw	74	79
TcB	Terril loam, 2 to 6 percent slopes	3.61	1.6%		> 6.5ft.	Well drained	Ile	99	88
LcD2	Lester loam, 10 to 16 percent slopes, moderately eroded	2.35	1.0%		> 6.5ft.	Well drained	IVe	67	73


Soils data provided by USDA and NRCS.



Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
Ga	Glencoe silty clay loam, 0 to 1 percent slopes	1.94	0.9%		> 6.5ft.	Very poorly drained	IIIw	86	80
INT	Water, intermittent	0.15	0.1%		> 6.5ft.			0	
LcC	Lester loam, 6 to 10 percent slopes	0.07	0.0%		> 6.5ft.	Well drained	IIIe	76	80
Weighted Average							*-	90.5	*n 79.6

*n: The aggregation method is "Weighted Average using all components"
*c: Using Capabilities Class Dominant Condition Aggregation Method
*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Topography Hillshade



Source: USGS 10 meter dem

Interval(ft): 4


Min: 953.2

Max: 1,008.2

Range: 55.0

Average: 983.1

Standard Deviation: 13.65 ft



11/23/2025

30-113N-23W
Scott County
Minnesota

Boundary Center: 44° 33' 40.69, -93° 37' 56.23

Maps Provided By:





© AgriData, Inc. 2025 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.

©2025 AgriData, Inc.

Wetlands Map



State: **Minnesota**
 Location: **30-113N-23W**
 County: **Scott**
 Township: **Helena**
 Date: **11/23/2025**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



0ft 1190ft 2380ft

Classification Code	Type	Acres
PEM1Af	Freshwater Emergent Wetland	1.30
PEM1Ad	Freshwater Emergent Wetland	0.35
PFO1Ad	Freshwater Forested/Shrub Wetland	0.03
PEM1A	Freshwater Emergent Wetland	0.01
R4SBC	Riverine	0.00
Total Acres		1.69

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>