



Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Mower**
 Location: **34-103N-16W**
 Township: **Dexter**
 Acres: **134.1**
 Date: **9/8/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN099, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
479	Floyd silt loam, 1 to 4 percent slopes	48.29	36.0%		> 6.5ft.	Somewhat poorly drained	IIw	100	76
88	Clyde silty clay loam, 0 to 3 percent slopes	34.59	25.8%		> 6.5ft.	Poorly drained	IIw	86	90
M511A	Readlyn silt loam, 1 to 3 percent slopes	20.30	15.1%		> 6.5ft.	Somewhat poorly drained	Iw	100	80
99B	Racine loam, 2 to 5 percent slopes	9.24	6.9%		> 6.5ft.	Well drained	Ile	91	66
99A	Racine silt loam, 0 to 2 percent slopes	6.95	5.2%		> 6.5ft.	Well drained	Is	98	73
516B	Dowagiac loam, 2 to 6 percent slopes	4.25	3.2%		> 6.5ft.	Well drained	Ile	64	68
190	Hayfield loam	2.47	1.8%		> 6.5ft.	Somewhat poorly drained	IIs	72	80
516A	Dowagiac loam, 0 to 2 percent slopes	2.10	1.6%		> 6.5ft.	Well drained	IIs	66	69
2A	Ostrander loam, 0 to 2 percent slopes	1.92	1.4%		> 6.5ft.	Well drained	Is	100	78
M515A	Tripoli clay loam, 0 to 2 percent slopes	1.34	1.0%		> 6.5ft.	Poorly drained	IIw	87	68
2B	Ostrander loam, 2 to 5 percent slopes	1.20	0.9%		> 6.5ft.	Well drained	Ile	98	77
631	Oran silt loam, 1 to 4 percent slopes	1.01	0.8%		> 6.5ft.	Somewhat poorly drained	Iw	95	79
1841	Hayfield loam, loamy substratum	0.44	0.3%		> 6.5ft.	Somewhat poorly drained	IIs	79	75
Weighted Average							1.77	93.2	*n 79.1

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method