


Aerial Map





HIGH POINT
LAND COMPANY

Boundary Center: 42° 46' 18.78, -91° 22' 5.92

24-92N-5W
Clayton County
Iowa

0ft 859ft 1717ft



Maps Provided By:




surety
CUSTOMIZED ONLINE MAPPING

© AgriData, Inc. 2025 www.AgriDataInc.com

7/31/2026

Topography Hillshade



Source: USGS 1 meter dem

Interval(ft): 3


Min: 829.4

Max: 961.4

Range: 132.0

Average: 908.3

Standard Deviation: 26.05 ft



7/31/2026

24-92N-5W
Clayton County
Iowa

Boundary Center: 42° 46' 18.78, -91° 22' 5.92





Maps Provided By:



© AgriData, Inc. 2025

www.AgriDataInc.com

Soils Map



State: **Iowa**
 County: **Clayton**
 Location: **24-92N-5W**
 Township: **Volga**
 Acres: **119.1**
 Date: **7/31/2026**



Maps Provided By:



Area Symbol: IA043, Soil Area Version: 29



Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	CSR2**
163E2	Fayette silt loam, 14 to 18 percent slopes, moderately eroded	39.83	33.5%		> 6.5ft.	Well drained	IVe	35
163F2	Fayette silt loam, 18 to 25 percent slopes, moderately eroded	26.07	21.9%		> 6.5ft.	Well drained	VIe	18
163D2	Fayette silt loam, 9 to 14 percent slopes, moderately eroded	20.63	17.3%		> 6.5ft.	Well drained	IIIe	46
163F3	Fayette silty clay loam, 18 to 25 percent slopes, severely eroded	16.59	13.9%		> 6.5ft.	Well drained	VIIe	12
163F	Fayette silt loam, 18 to 25 percent slopes	4.80	4.0%		> 6.5ft.	Well drained	VIe	21
163E3	Fayette silty clay loam, 14 to 18 percent slopes, severely eroded	4.51	3.8%		> 6.5ft.	Well drained	VIe	29
129B	Arenzville-Chaseburg complex, 1 to 5 percent slopes	3.55	3.0%		> 6.5ft.	Moderately well drained	IIw	73
612E2	Mottland silt loam, 14 to 18 percent slopes, moderately eroded	2.62	2.2%		> 6.5ft.	Well drained	IVe	14
163E	Fayette silt loam, 14 to 18 percent slopes	0.50	0.4%		> 6.5ft.	Well drained	IVe	38
Weighted Average							4.78	29.9

**IA has updated the CSR values for each county to CSR2.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Symbol	Name	Description
CLA	Clay spot	A spot where the surface texture is silty clay or clay in areas where the surface layer of the soils in the surrounding map unit is sandyloam, loam, silt loam, or coarser. Typically 0.25 to 2 acres.
GLA	Glacial Till	An area of unsorted, nonstratified, glacial drift consisting of clay, silt, sand, cobbles, stones, and boulders. These areas may or may not be calcareous. Typically 0.25 to 2 acres.

Wetlands Map



State: **Iowa**
 Location: **24-92N-5W**
 County: **Clayton**
 Township: **Cox Creek**
 Date: **7/31/2026**



Classification Code	Type	Acres
R4SBC	Riverine	0.30
Total Acres		0.30

Data Source: National Wetlands Inventory website. U.S. DoI, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>