



Yokiel Family Trust Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Faribault**
 Location: **7-104N-25W**
 Township: **Minnesota Lake**
 Acres: **120.95**
 Date: **7/9/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN043, Soil Area Version: 22

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
110	Marna silty clay loam, 0 to 2 percent slopes	23.18	19.2%		> 6.5ft.	Poorly drained	IIw	87	77
539	Klossner muck, lake plain, depressional, 0 to 1 percent slopes	22.29	18.4%		> 6.5ft.	Very poorly drained	IIIw	77	79
84	Brownton silty clay loam, 0 to 2 percent slopes	20.55	17.0%		> 6.5ft.	Poorly drained	IIw	81	65
229	Waldorf silty clay loam, 0 to 2 percent slopes	17.83	14.7%		> 6.5ft.	Poorly drained	IIw	85	70
230A	Guckeen silty clay loam, 1 to 3 percent slopes	15.44	12.8%		> 6.5ft.	Somewhat poorly drained	IIw	95	80
230B	Kamrar clay loam, 2 to 6 percent slopes	13.93	11.5%		> 6.5ft.	Moderately well drained	Ile	95	79
96A	Collinwood silty clay loam, 1 to 3 percent slopes	6.55	5.4%		> 6.5ft.	Somewhat poorly drained	IIw	86	71
102B	Clarion loam, 2 to 6 percent slopes	1.08	0.9%		> 6.5ft.	Moderately well drained	Ile	95	83
134	Okoboji silty clay loam, 0 to 1 percent slopes	0.10	0.1%		> 6.5ft.	Very poorly drained	IIIw	86	77
Weighted Average							2.19	85.8	*n 74.6

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Symbol	Name	Description
SIL	Small area of Argiaquoll or Argialboll	A shallow, saucer-shaped area that is slightly lower on the landscape than the surrounding area and that does not have a natural outlet for surface drainage. The clayey subsoil causes excessive wetness for long periods of time. Typically 0.25 to 4 acres.

Soils data provided by USDA and NRCS.