



Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Carver**
 Location: **1-116N-25W**
 Township: **Waconia**
 Acres: **65.04**
 Date: **7/8/2026**

Maps Provided By

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: MN019, Soil Area Version: 22
 Area Symbol: MN053, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c
MP	Klossner and Muskego soils, ponded, 0 to 1 percent slopes	22.30	34.3%		> 6.5ft.	Very poorly drained	VIIIw
PM	Klossner muck, 0 to 1 percent slopes	10.52	16.2%		> 6.5ft.	Very poorly drained	IIIw
LA	Le Sueur-Lester complex, 1 to 6 percent slopes	7.22	11.1%		> 6.5ft.	Somewhat poorly drained	Ile
LB2	Lester loam, 2 to 6 percent slopes	6.99	10.7%		> 6.5ft.	Well drained	Ile
LC2	Lester loam, 6 to 10 percent slopes, moderately eroded	6.76	10.4%		> 6.5ft.	Well drained	IIIle
LD2	Lester loam, 10 to 16 percent slopes, moderately eroded	4.11	6.3%		> 6.5ft.	Well drained	IVe
EX	Essexville sandy loam	3.54	5.4%		> 6.5ft.	Poorly drained	Vw
LS	Le Sueur loam, 1 to 3 percent slopes	1.99	3.1%		> 6.5ft.	Somewhat poorly drained	Iw
W	Water	1.44	2.2%		> 6.5ft.		
L16A	Muskego, Blue Earth, and Houghton soils, ponded, 0 to 1 percent slopes	0.17	0.3%		> 6.5ft.	Very poorly drained	VIIIw
Weighted Average							*-

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Symbol	Name	Description
SAN	Sandy spot	A spot where the surface layer is loamy fine sand or coarser in areas where the surface layer of the named soils in the surrounding map unit is very fine sandy loam or finer. Typically 0.5 to 2 acres.

Soils data provided by USDA and NRCS.