



Soils Map



State: **Minnesota**
 County: **Mower**
 Location: **32-103N-16W**
 Township: **Dexter**
 Acres: **131.72**
 Date: **2/19/2026**



Soils data provided by USDA and NRCS.

Area Symbol: MN099, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	PI Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Productivity Index	*n NCCPI Overall
631	Oran silt loam, 1 to 4 percent slopes	29.20	22.3%		> 6.5ft.	Somewhat poorly drained	Iw	95	79
307	Sargeant silt loam	24.55	18.6%		> 6.5ft.	Poorly drained	IIIw	86	85
88	Clyde silty clay loam, 0 to 3 percent slopes	21.75	16.5%		> 6.5ft.	Poorly drained	IIw	86	90
1841	Hayfield loam, loamy substratum	17.18	13.0%		> 6.5ft.	Somewhat poorly drained	IIs	79	75
99A	Racine silt loam, 0 to 2 percent slopes	11.15	8.5%		> 6.5ft.	Well drained	Is	98	73
1904	Udolpho silt loam, loamy substratum	11.13	8.4%		> 6.5ft.	Poorly drained	IIw	70	79
334B	Vlasaty silt loam, 1 to 4 percent slopes	4.18	3.2%		> 6.5ft.	Moderately well drained	Ile	95	85
516A	Dowagiac loam, 0 to 2 percent slopes	4.12	3.1%		> 6.5ft.	Well drained	IIs	66	69
79B	Billett fine sandy loam, 2 to 6 percent slopes	3.19	2.4%		> 6.5ft.	Well drained	IIIs	60	71
23	Skyberg silt loam, 0 to 3 percent slopes	2.81	2.1%		> 6.5ft.	Somewhat poorly drained	Iw	95	82
479	Floyd silt loam, 1 to 4 percent slopes	1.97	1.5%		> 6.5ft.	Somewhat poorly drained	IIw	100	76
517	Shandep clay loam	0.41	0.3%		> 6.5ft.	Very poorly drained	IIIw	78	81
244B	Lilah sandy loam, 2 to 6 percent slopes	0.08	0.1%		> 6.5ft.	Excessively drained	IVs	43	53
Weighted Average							1.89	86.1	*n 80.6

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.