



Soils Map



©2026 AgriData, Inc.

Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Tama**
 Location: **35-85N-14W**
 Township: **Perry**
 Acres: **38**
 Date: **2/3/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: IA171, Soil Area Version: 30

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*n NC Over
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	15.76	41.4%		> 6.5ft.	Moderately well drained	lle	232.0	6.5	67.3	4.2	7.0	11.6	94	90	
11B	Colo-Ely complex, 0 to 5 percent slopes	12.09	31.8%		> 6.5ft.	Poorly drained	llw	204.8	4.3	59.4	3.7	6.1	12.1	86	68	
377C2	Dinsdale silty clay loam, 5 to 9 percent slopes, eroded	8.57	22.6%		> 6.5ft.	Moderately well drained	llle	211.2	5.9	61.2	3.8	6.3	11.6	85	73	
88	Nevin silty clay loam, 0 to 2 percent slopes	1.58	4.2%		> 6.5ft.	Somewhat poorly drained	lw	227.2	5.9	65.9	4.1	6.8	11.0	95	90	
Weighted Average								2.18	218.5	5.6	63.4	3.9	6.5	89.5	79.2	*n

**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Symbol	Name	Description
--------	------	-------------

Soils data provided by USDA and NRCS.

	Symbol	Name	Description
	GLA	Glacial till spot	An area of unsorted, nonstratified, glacial drift consisting of clay, silt, sand, cobbles, stones, and boulders. These areas may or may not be calcareous. Typically .5 to 2 acres.