



Soils Map



State: **Iowa**
 County: **Wright**
 Location: **31-91N-24W**
 Township: **Lincoln**
 Acres: **67.38**
 Date: **6/10/2026**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IA197, Soil Area Version: 34

| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Restrictive Layer | Soil Drainage | Non-Irr Class *c | *i Corn Bu | *i Alfalfa Tons | *i Soybeans Bu | *i Bluegrass Tons | *i Tall Grasses Tons | *i Water-Holding Inch | CSR2** |
|------|---|-------|------------------|-------------|-------------------|-------------------------|------------------|------------|-----------------|----------------|-------------------|----------------------|-----------------------|--------|
| 52B | Bode clay loam, 2 to 6 percent slopes | 18.40 | 27.3% | | > 6.5ft. | Moderately well drained | lle | 225.6 | 6.3 | 65.4 | 4.1 | 6.8 | 10.7 | 91 |
| 52C2 | Bode clay loam, 6 to 10 percent slopes, moderately eroded | 14.19 | 21.1% | | > 6.5ft. | Moderately well drained | lle | 204.8 | 5.7 | 59.4 | 3.7 | 6.1 | 10.7 | 84 |
| 385 | Guckeen clay loam, 1 to 3 percent slopes | 13.95 | 20.7% | | > 6.5ft. | Somewhat poorly drained | llw | | | | | | | 76 |
| 388 | Kossuth silty clay loam, 0 to 2 percent slopes | 11.15 | 16.5% | | > 6.5ft. | Poorly drained | llw | 224.0 | 4.7 | 65.0 | 4.0 | 6.7 | 11.9 | 72 |
| 62C2 | Storden loam, 6 to 10 percent slopes, moderately eroded | 4.93 | 7.3% | | > 6.5ft. | Well drained | llle | 161.6 | 4.5 | 46.9 | 2.9 | 4.8 | 11.0 | 64 |

Soils data provided by USDA and NRCS.



| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Restrictive Layer | Soil Drainage | Non-Irr Class *c | *i Corn Bu | *i Alfalfa Tons | *i Soybeans Bu | *i Bluegrass Tons | *i Tall Grasses Tons | *i Water-Holding Inch | CSR2** | |
|-------------------------|---|-------|------------------|-------------|-------------------|----------------|------------------|-------------|-----------------|----------------|-------------------|----------------------|-----------------------|------------|-------------|
| 201B | Coland-Terril complex, 1 to 5 percent slopes | 2.51 | 3.7% | | > 6.5ft. | Poorly drained | Ile | 208.0 | 4.4 | 60.3 | 3.7 | 6.2 | 11.4 | 80 | |
| 62D2 | Storden loam, 10 to 16 percent slopes, moderately eroded | 2.19 | 3.3% | | > 6.5ft. | Well drained | Ive | 140.8 | 3.9 | 40.8 | 2.5 | 4.2 | 11.0 | 41 | |
| 135 | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 0.06 | 0.1% | | > 6.5ft. | Poorly drained | Ilw | 198.4 | 4.2 | 57.5 | 3.6 | 6.0 | 11.4 | 76 | |
| Weighted Average | | | | | | | | 2.14 | 166.1 | 4.3 | 48.2 | 3 | 5 | 8.7 | 79.3 |

**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*c: Using Capabilities Class Dominant Condition Aggregation Method