

RESIDENTIAL REAL PROPERTY DISCLOSURE REPORT

NOTICE: THE PURPOSE OF THIS REPORT IS TO PROVIDE PROSPECTIVE BUYERS WITH INFORMATION ABOUT MATERIAL DEFECTS IN THE RESIDENTIAL REAL PROPERTY. THIS REPORT DOES NOT LIMIT THE PARTIES RIGHT TO CONTRACT FOR THE SALE OF RESIDENTIAL REAL PROPERTY IN "AS IS" CONDITION. UNDER COMMON LAW SELLERS WHO DISCLOSE MATERIAL DEFECTS MAY BE UNDER A CONTINUING OBLIGATION TO ADVISE THE PROSPECTIVE BUYERS ABOUT THE CONDITION OF THE RESIDENTIAL REAL PROPERTY EVEN AFTER THE REPORT IS DELIVERED TO THE PROSPECTIVE BUYER. COMPLETION OF THIS REPORT BY SELLER CREATES LEGAL OBLIGATIONS ON SELLER THEREFORE SELLER MAY WISH TO CONSULT AN ATTORNEY PRIOR TO COMPLETION OF THIS REPORT.

Property Address: 403 East Quincy Street

City, State & Zip Code: Pleasant Hill, IL 62366

Seller's Name: Great Captain Enterprises, LLC

This report is a disclosure of certain conditions of the residential real property listed above in compliance with the Residential Real Property Disclosure Act. This information is provided as of 08/20/2025 and does not reflect any changes made or occurring after that date or information that becomes known to the seller after that date. The disclosures herein shall not be deemed warranties of any kind by the seller or any person representing any party in this transaction.

In this form, "am aware" means to have actual notice or actual knowledge without any specific investigation or inquiry. In this form a "material defect" means a condition that would have a substantial adverse effect on the value of the residential real property or that would significantly impair the health or safety of future occupants of the residential real property unless the seller reasonably believes that the condition has been corrected.

The seller discloses the following information with the knowledge that even though the statements herein are not deemed to be warranties, prospective buyers may choose to rely on this information in deciding whether or not and on what terms to purchase the residential real property.

The seller represents that to the best of his or her actual knowledge, the following statements have been accurately noted as "yes", "correct", "no" (incorrect) or "not applicable" to the property being sold. If the seller indicates that the response to any statement, except number 1, is yes or not applicable, the seller shall provide an explanation, in the additional information area of this form.

- | YES | NO | N/A | |
|-------------------------------------|-------------------------------------|-------------------------------------|--|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 1. Seller has occupied the property within the last 12 months. (No explanation is needed.) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. I am aware of flooding or recurring leakage problems in the crawlspace or basement. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. I am aware that the property is located in a flood plain or that I currently have flood hazard insurance on the property. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. I am aware of material defects in the basement or foundation (including cracks and bulges). |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 5. I am aware of leaks or material defects in the roof, ceilings or chimney. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 6. I am aware of material defects in the walls or floors. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 7. I am aware of material defects in the electrical system. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 8. I am aware of material defects in the plumbing system (includes such things as water heater, sump pump, water treatment system, sprinkler system, and swimming pool). |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 9. I am aware of material defects in the well or well equipment. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 10. I am aware of unsafe conditions in the drinking water. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 11. I am aware of material defects in the heating, air conditioning, or ventilating systems. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 12. I am aware of material defects in the fireplace or woodburning stove. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 13. I am aware of material defects in the septic, sanitary sewer, or other disposal system. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 14. I am aware of unsafe concentrations of radon on the premises. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 15. I am aware of unsafe concentrations of or unsafe conditions relating to asbestos on the premises. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 16. I am aware of unsafe concentrations of or unsafe conditions relating to lead paint, lead water pipes, lead plumbing pipes or lead in the soil on the premises. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 17. I am aware of mine subsidence, underground pits, settlement, sliding, upheaval, or other earth stability defects on the premises. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 18. I am aware of current infestations of termites or other wood boring insects. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 19. I am aware of a structural defect caused by previous infestations of termites or other wood boring insects. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 20. I am aware of underground fuel storage tanks on the property. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 21. I am aware of boundary or lot line disputes. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 22. I have received notice of violation of local, state or federal laws or regulations relating to this property, which violation has not been corrected. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 23. I am aware that this property has been used for the manufacture of methamphetamine as defined in Section 10 of the Methamphetamine Control and Community Protection Act. |

NOTE: These disclosures are not intended to cover the common elements of a condominium, but only the actual residential real property including limited common elements allocated to the exclusive use thereof that form an integral part of the condominium unit.

If any of the above are marked "not applicable" or "yes", please explain here or use additional pages, if necessary:

#2 During periods of heavy rain, seepage may occur

Check here if additional pages used:

Seller certifies that seller has prepared this statement and certifies that the information provided is based on the actual notice or actual knowledge of the seller without any specific investigation or inquiry on the part of the seller. The seller hereby authorizes any person representing any principal in this transaction to provide a copy of this report, and to disclose any information in the report, to any person in connection with any actual or anticipated sale of the property.

SELLER: William Cornwell
SELLER: Guy Feldberg

DATE: _____
DATE: _____

PROSPECTIVE BUYER: Paul Cornwell, AWARE THAT THE PARTIES MAY CHOOSE TO NEGOTIATE AN AGREEMENT FOR THE SALE OF THE PROPERTY SUBJECT TO ANY OR ALL MATERIAL DEFECTS DISCLOSED IN THIS REPORT ("AS IS"). THIS DISCLOSURE IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THAT THE PROSPECTIVE BUYER OR SELLER MAY WISH TO OBTAIN OR NEGOTIATE. THE FACT THAT THE SELLER IS NOT AWARE OF A PARTICULAR CONDITION OR PROBLEM IS NO GUARANTEE THAT IT DOES NOT EXIST. PROSPECTIVE BUYER IS AWARE THAT HE MAY REQUEST AN INSPECTION OF THE PREMISES PERFORMED BY A QUALIFIED PROFESSIONAL.

Prospective Buyer: _____ DATE: _____ TIME: _____
Prospective Buyer: _____ DATE: _____ TIME: _____

Lead Paint Disclosure -- Housing Sales

Disclosure of Information on Lead-Based Paint and Lead-Based Paint Hazards

⇒ Lead Warning Statement ⇐

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

SELLER'S DISCLOSURE (initial)

WC GF
08/20/25 3:08 PM CDT
dotloop verified

(a) Presence of lead-based paint and/or lead-based paint hazards (check one below):

Known lead-based paint and/or lead-based paint hazards are present in the housing (explain):

Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

WC GF
08/20/25 3:08 PM CDT
dotloop verified

(b) Records and reports available to the Seller (check one below):

Seller has provided the Purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below):

Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

PURCHASER'S ACKNOWLEDGMENT (initial)

Initials grid for purchaser acknowledgment.

(c) Purchaser has received copies of all information listed above.
(d) Purchaser has received the pamphlet *Protect Your Family from Lead in Your Home*.
(e) Purchaser has (check one below):

Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead based paint hazards; or
 Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

AGENT'S ACKNOWLEDGMENT (initial)

LH
08/20/25 3:15 PM CDT
dotloop verified

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

CERTIFICATION OF ACCURACY

The following parties have reviewed the information above and certify that the information provided by the signatory is true and accurate:

Signature blocks for Seller, Agent, and Purchaser on both sides, including names like William Cornwall, Lacey Hoagland, Greg Feldberg, and Paul Cornwall, with dates and verification stamps.

DISCLOSURE OF INFORMATION ON RADON HAZARDS (For Residential Real Property Sales or Purchases)

Radon Warning Statement

Every buyer of any interest in residential real property is notified that the property may present exposure to dangerous levels of indoor radon gas that may place the occupants at risk of developing radon-induced lung cancer. Radon, a Class -A human carcinogen, is the leading cause of lung cancer in non-smokers and the second leading cause overall. The seller of any interest in residential real property is required to provide the buyer with any information on radon test results of the dwelling showing elevated levels of radon in the seller's possession.

The Illinois Emergency Management Agency (IEMA) strongly recommends ALL homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and mitigated if elevated levels are found. Elevated radon concentrations can easily be reduced by a qualified, licensed radon mitigator.

Seller's Disclosure

Initial each of the following that applies:

- a. Elevated radon concentrations (above EPA or IEMA recommended Radon Action Level) are known to be present within the dwelling. (Explain)
- b. Seller has provided the purchaser with all available records and reports pertaining to elevated radon concentrations within the dwelling.
- c. Seller has no knowledge of elevated radon concentrations within the dwelling.
- d. Seller has no records or reports pertaining to elevated radon concentrations within the dwelling.

Purchaser's Acknowledgment

Initial each of the following that applies:

- e. Purchaser has received copies of all information listed above.
- f. Purchaser has received the IEMA approved Radon Disclosure Pamphlet.

Agent's Acknowledgment

Initial, if applicable:

- g. Agent has informed the seller of the seller's obligations under Illinois law.

Certification of Accuracy

The following parties have reviewed the information above and each party certifies, to the best of his or her knowledge, that the information he or she provided is true and accurate.

<i>William Cornwell</i>	dotloop verified 08/20/25 4:50 PM CDT 0261-5867-9F3A-0000G	<i>Greg Feldberg</i>	dotloop verified 08/21/25 1:14 PM CDT WPHD-AZDT-4XUN-AGW3
Seller	Date	Seller	Date
Purchaser	Date	Purchaser	Date
<i>Lacey Hongland</i>	dotloop verified 08/21/25 3:12 PM CDT T64Y-GYIR-EGCS-HHST		dotloop verified 08/21/25 3:08 PM CDT T64Y-GYIR-EGCS-HHST
Agent	Date	Agent	Date
<i>Paul Cornwell</i>	dotloop verified 08/21/25 3:08 PM CDT T64Y-GYIR-EGCS-HHST		dotloop verified 08/21/25 3:08 PM CDT T64Y-GYIR-EGCS-HHST
Agent	Date	Agent	Date