




Boundary

| Boundary 69.62 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
MrB2	Glynwood silt loam, 2 to 6 percent slopes, eroded	15.22	21.86	0	56	2e
Pe	Pewamo silty clay loam, 0 to 1 percent slopes	12.52	17.98	0	76	2w
La	Lake borders	11.28	16.2	0	-	8
MrC2	Morley silt loam, 6 to 12 percent slopes, eroded	6.96	10.0	0	59	3e
RdB2	Rawson, Morley, and Miami loams, 2 to 6 percent slopes, eroded	5.73	8.23	0	60	2e
Ed	Edwards muck	5.08	7.3	0	46	5w
Ho	Houghton muck, drained	2.48	3.56	0	93	3w
Pb	Palms muck, drained	2.37	3.4	0	93	3w
MsD3	Morley silty clay loam, 12 to 18 percent slopes, severely eroded	2.31	3.32	0	50	6e
CcC3	Casco sandy clay loam, 8 to 15 percent slopes, severely eroded	1.97	2.83	0	47	6e
MsC3	Morley silty clay loam, 6 to 12 percent slopes, severely eroded	1.35	1.94	0	52	4e
Em	Edwards muck, drained	1.03	1.48	0	83	4w
RbB	Rawson loam, 2 to 6 percent slopes	0.66	0.95	0	66	2e
Ws	Washtenaw silt loam	0.44	0.63	0	91	2w
W	Water	0.22	0.32	0	-	-
TOTALS		69.62(*)	100%	-	53.01	3.68

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water