



Soils Map



State: **Kansas**
 County: **Clark**
 Location: **10-32S-21W**
 Township: **Lexington**
 Acres: **3722**
 Date: **5/14/2026**



Maps Provided By:



© AgriData, Inc. 2025

www.AgriDataInc.com



Area Symbol: KS025, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Tons	Barley Bu	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Introduced bluestem AUM	Weeping lovegrass AUM	Wheat Bu	Winter wheat Bu	*n NC Ov
5457	Quinlan-Woodward loams, 6 to 15 percent slopes	809.06	21.8%		Vle			14	130	27	3	3	3	18		
5412	Carey silt loam, 1 to 3 percent slopes	584.69	15.7%		Ile			1	234	30	4	4	1	24		
5413	Carey silt loam, 3 to 5 percent slopes	528.83	14.2%		IIle			1	234	30	4	4	1	24		
5411	Carey silt loam, 0 to 1 percent slopes	455.49	12.2%		Ils	I			256	30	4	4		25		
5405	Badland-Woodward complex, 1 to 50 percent slopes	305.41	8.2%		Vlle											
6057	Lincoln loamy sand, 0 to 1 percent slopes, occasionally flooded	215.05	5.8%		IIle	IIle										

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Tons	Barley Bu	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Introduced bluestem AUM	Weeping lovegrass AUM	Wheat Bu	Winter wheat Bu	*n NC Ov
5496	Woodward-Quinlan complex, 3 to 5 percent slopes	213.66	5.7%			III s		11	165	28	4	4	4	18		
2750	Penden clay loam, 7 to 15 percent slopes	193.43	5.2%			VI e										
5242	Likes loamy fine sand, 1 to 8 percent slopes	177.79	4.8%			VI e										
2152	Lesho clay loam, occasionally flooded	132.87	3.6%			III w	3			36					22	
5490	Woodward loam, 1 to 3 percent slopes	48.17	1.3%			III s		1	284	30	4	4	5	20		
5670	Waldeck fine sandy loam, occasionally flooded	21.29	0.6%			III w	4			43					24	
2710	Missler silty clay loam, 0 to 1 percent slopes	12.68	0.3%			II c				38					26	
2612	Harney silt loam, 0 to 1 percent slopes	11.35	0.3%			II c										
2236	Roxbury silt loam, occasionally flooded	8.94	0.2%			II w				4					3	
2234	Roxbury silt loam, channeled, frequently flooded	3.29	0.1%			V w										
Weighted Average					3.99	*-	0.1	4	142.7	22.2	2.6	2.6	1.2	15.4	1	*-

*n: The aggregation method is "Weighted Average using all components"

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.