



Soils Map



Soils data provided by USDA and NRCS.



State: **Kansas**
 County: **Clark**
 Location: **12-33S-25W**
 Township: **Englewood**
 Acres: **469.57**
 Date: **6/11/2026**



Maps Provided By:



Area Symbol: KS025, Soil Area Version: 23										
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	*n NCCPI Overall
5409	Bippus clay loam, 2 to 5 percent slopes, cool	126.30	27.0%		> 6.5ft.	Well drained	IIIe	IIIe	3150	55
5407	Bippus clay loam, 0 to 2 percent slopes, rarely flooded, cool	93.20	19.8%		> 6.5ft.	Well drained	Ile	Ile	3150	59
2744	Penden clay loam, 0 to 1 percent slopes	62.69	13.4%		> 6.5ft.	Well drained	IIc	Ie	2628	63
2745	Penden clay loam, 1 to 3 percent slopes	60.75	12.9%		> 6.5ft.	Well drained	Ile	Ile	2640	63
2562	Campus-Canlon complex, 3 to 30 percent slopes	53.36	11.4%		2.6ft. (Lithic bedrock)	Well drained	VIe		2215	33
2236	Roxbury silt loam, occasionally flooded	37.94	8.1%		> 6.5ft.	Well drained	IIw	IIw	4353	71
2750	Penden clay loam, 7 to 15 percent slopes	20.40	4.3%		> 6.5ft.	Well drained	VIe	VIe	2673	58
5496	Woodward-Quinlan complex, 3 to 5 percent slopes	11.91	2.5%		2.7ft. (Densic bedrock)	Well drained	IIIs		3145	33
2747	Penden clay loam, 3 to 7 percent slopes	3.02	0.6%		> 6.5ft.	Well drained	IIIe	IIIe	2640	60
Weighted Average							2.93	*-	2981.1	*n 56.3

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.