


I hereby certify that this is a Category II Survey and that the ratio of precision of the undisturbed survey is 1:10,000 or greater as shown herein.

Surveyor: Darrel R. McBride R.L.S. #1463

- LEGEND**
- PLACED IRON PIN
 - ▲ EXISTING IRON PIN
 - ✱ PLACED IRON PIN IN EXISTING ROCK PILE
 - PLACED MAG NAIL
 - TREE (AS NOTED)



LINE TABLE FOR CENTERLINE OF 50 FOOT WIDE INGRESS/EGRESS AND UTILITY EASEMENT

LINE	BEARING	DISTANCE
1	S 85°15'30" W	104.18'
2	S 85°40'30" W	62.07'
3	S 85°40'30" W	104.18'
4	S 85°40'30" W	104.18'
5	S 85°40'30" W	104.18'
6	S 85°40'30" W	104.18'
7	S 85°40'30" W	104.18'
8	S 85°40'30" W	104.18'
9	S 85°40'30" W	104.18'
10	S 85°40'30" W	104.18'
11	S 85°40'30" W	104.18'
12	S 85°40'30" W	104.18'
13	S 85°40'30" W	104.18'
14	S 85°40'30" W	104.18'
15	S 85°40'30" W	104.18'
16	S 85°40'30" W	104.18'
17	S 85°40'30" W	104.18'
18	S 85°40'30" W	104.18'
19	S 85°40'30" W	104.18'
20	S 85°40'30" W	104.18'
21	S 85°40'30" W	104.18'
22	S 85°40'30" W	104.18'
23	S 85°40'30" W	104.18'
24	S 85°40'30" W	104.18'
25	S 85°40'30" W	104.18'
26	S 85°40'30" W	104.18'
27	S 85°40'30" W	104.18'
28	S 85°40'30" W	104.18'
29	S 85°40'30" W	104.18'
30	S 85°40'30" W	104.18'
31	S 85°40'30" W	104.18'
32	S 85°40'30" W	104.18'
33	S 85°40'30" W	104.18'
34	S 85°40'30" W	104.18'
35	S 85°40'30" W	104.18'
36	S 85°40'30" W	104.18'
37	S 85°40'30" W	104.18'
38	S 85°40'30" W	104.18'
39	S 85°40'30" W	104.18'
40	S 85°40'30" W	104.18'
41	S 85°40'30" W	104.18'
42	S 85°40'30" W	104.18'
43	S 85°40'30" W	104.18'
44	S 85°40'30" W	104.18'
45	S 85°40'30" W	104.18'
46	S 85°40'30" W	104.18'
47	S 85°40'30" W	104.18'
48	S 85°40'30" W	104.18'
49	S 85°40'30" W	104.18'
50	S 85°40'30" W	104.18'
51	S 85°40'30" W	104.18'
52	S 85°40'30" W	104.18'
53	S 85°40'30" W	104.18'
54	S 85°40'30" W	104.18'
55	S 85°40'30" W	104.18'
56	S 85°40'30" W	104.18'
57	S 85°40'30" W	104.18'
58	S 85°40'30" W	104.18'
59	S 85°40'30" W	104.18'
60	S 85°40'30" W	104.18'
61	S 85°40'30" W	104.18'
62	S 85°40'30" W	104.18'
63	S 85°40'30" W	104.18'
64	S 85°40'30" W	104.18'
65	S 85°40'30" W	104.18'
66	S 85°40'30" W	104.18'
67	S 85°40'30" W	104.18'
68	S 85°40'30" W	104.18'
69	S 85°40'30" W	104.18'
70	S 85°40'30" W	104.18'
71	S 85°40'30" W	104.18'
72	S 85°40'30" W	104.18'
73	S 85°40'30" W	104.18'
74	S 85°40'30" W	104.18'
75	S 85°40'30" W	104.18'
76	S 85°40'30" W	104.18'
77	S 85°40'30" W	104.18'
78	S 85°40'30" W	104.18'
79	S 85°40'30" W	104.18'
80	S 85°40'30" W	104.18'
81	S 85°40'30" W	104.18'
82	S 85°40'30" W	104.18'
83	S 85°40'30" W	104.18'
84	S 85°40'30" W	104.18'
85	S 85°40'30" W	104.18'
86	S 85°40'30" W	104.18'
87	S 85°40'30" W	104.18'
88	S 85°40'30" W	104.18'
89	S 85°40'30" W	104.18'
90	S 85°40'30" W	104.18'
91	S 85°40'30" W	104.18'
92	S 85°40'30" W	104.18'
93	S 85°40'30" W	104.18'
94	S 85°40'30" W	104.18'
95	S 85°40'30" W	104.18'
96	S 85°40'30" W	104.18'
97	S 85°40'30" W	104.18'
98	S 85°40'30" W	104.18'
99	S 85°40'30" W	104.18'
100	S 85°40'30" W	104.18'

FOR: ANN JOHNSON

FIFTH CIVIL DISTRICT, HUMPHREY'S COUNTY, TENNESSEE
DEED REFERENCE: DEED BOOK 179, PAGE 745
PROPERTY ASSESSOR'S MAP 135, PARCEL 13

SCALE: 1" = 200' APPROVED BY: DRAWN BY: C.D.
DATE: 10/29/08 DARREL MCBRIDE REVISED:
SURVEY MADE BY: (931) 582-4170
MCBRIDE SURVEY COMPANY
P.O. BOX 192 MCEWEN, TN. 37101
BEARINGS ARE IN RELATION TO MAGNETIC NORTH DWG. # C368808

This map was prepared by McEwen Group LLC and
should not be used to determine exact boundary lines. Buyer
should always get a survey to determine boundary lines

can Branch

Kerville

This map was prepared by McEwen Group LLC and should not be used to determine exact boundary lines. Buyer should always get a survey to determine boundary lines

