



Soils Map



State: **Iowa**
 County: **Wapello**
 Location: **29-71N-15W**
 Township: **Adams**
 Acres: **74.79**
 Date: **10/5/2026**



Maps Provided By:
surety
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: IA179, Soil Area Version: 34

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*i N C
731C2	Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded	21.84	29.1%		> 6.5ft.	Somewhat poorly drained	IIIe	80.0	2.1	23.2	1.4	2.4	11.8	62	40	
792D	Armstrong loam, 9 to 14 percent slopes	16.89	22.6%		> 6.5ft.	Somewhat poorly drained	IVe	99.2	2.6	28.8	1.8	3.0	9.2	10	15	
179F	Gara loam, 18 to 25 percent slopes	12.18	16.3%		> 6.5ft.	Well drained	VIe	120.0	3.4	34.8	2.2	3.6	10.7	19	15	
223C2	Rinda silty clay loam, 5 to 9 percent slopes, moderately eroded	8.21	11.0%		> 6.5ft.	Poorly drained	IVw	126.4	2.7	36.7	2.3	3.8	9.9	45	20	
S732C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	7.84	10.5%		> 6.5ft.	Moderately well drained	IIIe	0.0	0.0	0.0	0.0	0.0	0.0	59		

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*i N C
364B	Grundy silt loam, 2 to 5 percent slopes	5.98	8.0%		> 6.5ft.	Somewhat poorly drained	Ile	80.0	2.1	23.2	1.4	2.4	12.2	74	75	
23C2	Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded	1.78	2.4%		> 6.5ft.	Somewhat poorly drained	IIle	80.0	2.1	23.2	1.4	2.4	11.7	62	50	
730B	Nodaway-Cantril complex, 2 to 5 percent slopes	0.07	0.1%		> 6.5ft.	Moderately well drained	IIw	209.6	5.4	60.8	3.8	6.3	11.4	80	63	
Weighted Average							3.74	87.7	2.3	25.4	1.6	2.6	9.6	42	*-	

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method