



Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Wapello**
 Location: **2-71N-15W**
 Township: **Adams**
 Acres: **18.12**
 Date: **8/15/2026**



Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: IA179, Soil Area Version: 34

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR
425D2	Keswick loam, 9 to 14 percent slopes, moderately eroded	5.30	29.3%		0.8ft. (Abrupt textural change)	Somewhat poorly drained	IVe	88.0	2.5	25.5	1.6	2.6	8.8	9	5
716	Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, occasionally flooded	4.90	27.0%		> 6.5ft.	Poorly drained	IIw	80.0	1.7	23.2	1.4	2.4	0.0	78	
S732C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	2.99	16.5%		> 6.5ft.	Moderately well drained	IIIe	0.0	0.0	0.0	0.0	0.0	0.0	59	
424E2	Lindley-Keswick loams, 14 to 18 percent slopes, moderately eroded	2.56	14.1%		0.8ft. (Abrupt textural change)	Well drained	VIe	108.8	3.0	31.6	2.0	3.3	9.0	24	5

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR
594E2	Galland loam, heavy loess, 14 to 18 percent slopes, moderately eroded	1.02	5.6%		> 6.5ft.	Somewhat poorly drained	Vle	88.0	2.3	25.5	1.6	2.6	9.7	6	5
65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded	0.85	4.7%		> 6.5ft.	Well drained	Vle	134.4	3.8	39.0	2.4	4.0	9.4	29	28
731C2	Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded	0.50	2.8%		> 6.5ft.	Somewhat poorly drained	Ille	80.0	2.1	23.2	1.4	2.4	11.8	62	40
Weighted Average							3.76	76.2	2	22.1	1.4	2.3	5.2	40.3	*-

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
	ERO	Severely eroded spot	An area where on the average 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units that are named severely eroded, very severely eroded, or gullied. Typically .25 to 2 acres.