



Soils Map



State: **Iowa**
 County: **Davis**
 Location: **15-70N-15W**
 Township: **Marion**
 Acres: **89**
 Date: **4/28/2026**



Soils data provided by USDA and NRCS.

©2026 AgriData, Inc.

© AgriData, Inc. 2025

www.AgriDataInc.com

Area Symbol: IA051, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*j Corn Bu	*i Alfalfa Tons	*j Soybeans Bu	*j Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*n NC Ov
13B	Olmitz-Vesser-Zook complex, 0 to 5 percent slopes	20.69	23.3%		> 6.5ft.	Poorly drained	llw	200.0	4.2	58.0	3.6	6.0	11.7	74	60	
65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded	19.88	22.3%		> 6.5ft.	Well drained	Vle	134.4	3.8	39.0	2.4	4.0	9.4	29	28	
425D3	Keswick clay loam, 9 to 14 percent slopes, severely eroded	13.28	14.9%		1.5ft. (Abrupt textural change)	Somewhat poorly drained	Vle	88.0	2.5	25.5	1.6	2.6	8.6	10	5	
132C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	11.93	13.4%		> 6.5ft.	Moderately well drained	llle	80.0	2.2	23.2	1.4	2.4	10.6	59	40	

Soils data provided by USDA and NRCS.



Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water-Holding Inch	CSR2**	CSR	*n NC Ov	
425D2	Keswick loam, 9 to 14 percent slopes, moderately eroded	10.91	12.3%		0.8ft. (Abrupt textural change)	Somewhat poorly drained	IVe	88.0	2.5	25.5	1.6	2.6	8.8	9	12		
65F	Lindley loam, 18 to 40 percent slopes	8.72	9.8%		> 6.5ft.	Well drained	Vlle	115.2	3.2	33.4	2.1	3.5	9.4	6	10		
W	Water	1.84	2.1%		> 6.5ft.			0.0	0.0	0.0	0.0	0.0	0.0	0	0		
132C	Weller silt loam, 5 to 9 percent slopes	1.09	1.2%		> 6.5ft.	Moderately well drained	IIIe	80.0	2.2	23.2	1.4	2.4	10.6	59	44		
132B	Weller silt loam, 2 to 5 percent slopes	0.66	0.7%		> 6.5ft.	Moderately well drained	IIIe	80.0	2.2	23.2	1.4	2.4	10.6	67	60		
Weighted Average								*-	124	3.2	36	2.2	3.7	9.7	36	29.7	*n

**IA has updated the CSR values for each county to CSR2.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.