

- ▭ Boundary
- ▭ Pond / Tank
- ▭ Boundary

|  Boundary 2222.5 ac









SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
KsD	Kamie loamy fine sand, 3 to 8 percent slopes	173.6	7.81	4e
KsD3	Kamie loamy fine sand, 3 to 8 percent slopes, severely eroded	179.4	8.07	6e
HtE	Hector-Endsaw complex, 5 to 30 percent slopes, stony	45.0	2.03	7e
KoC	Kamie fine sandy loam, 3 to 5 percent slopes	1.6	0.07	3e
Ro	Hector-Endsaw complex, 30 to 45 percent slopes, extremely stony	104.8	4.72	7e
KoC2	Kamie fine sandy loam, 3 to 5 percent slopes, eroded	9.9	0.44	3e
Vg	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	10.3	0.46	2w
Al	Verdigris silt loam, 0 to 2 percent slopes, frequently flooded	96.2	4.33	5w
W	Water	100.3	4.51	8
DtE	Larton-Glentosh complex, 8 to 20 percent slopes	322.2	14.5	6e
Bp	Garton clay loam, 0 to 1 percent slopes, rarely flooded	130.1	5.85	2w
Oc	Madill fine sandy loam, 0 to 1 percent slopes, occasionally flooded	5.6	0.25	2e
KoB	Kamie fine sandy loam, 1 to 3 percent slopes	25.3	1.14	2e
Rf	Choska very fine sandy loam, 0 to 1 percent slopes, rarely flooded	619.6	27.88	1
Bf	Kiomatia loamy fine sand, 0 to 1 percent slopes, occasionally flooded	348.0	15.66	3e
StB	Stidham loamy fine sand, 0 to 2 percent slopes	35.8	1.61	3e
HaC	Clearview fine sandy loam, 3 to 5 percent slopes	14.7	0.66	3e
TOTALS		2222.5	100%	3.7

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water