



# Soils Map



Soils data provided by USDA and NRCS.



State: **Wisconsin**  
 County: **Trempealeau**  
 Location: **25-23N-7W**  
 Township: **Pigeon**  
 Acres: **149.33**  
 Date: **8/4/2026**



Maps Provided By:



Area Symbol: WI121, Soil Area Version: 18

| Code                    | Soil Description                                                  | Acres | Percent of field | Non-Irr Class Legend | Restrictive Layer           | Soil Drainage                | Non-Irr Class *c | *n NCCPI Overall |
|-------------------------|-------------------------------------------------------------------|-------|------------------|----------------------|-----------------------------|------------------------------|------------------|------------------|
| 562B                    | Gosil loamy sand, 1 to 6 percent slopes                           | 61.06 | 40.9%            |                      | > 6.5ft.                    | Somewhat excessively drained | IVs              | 41               |
| 328A                    | Rowley silt loam, 0 to 3 percent slopes                           | 31.61 | 21.2%            |                      | > 6.5ft.                    | Somewhat poorly drained      | IIw              | 88               |
| 434B                    | Bilson sandy loam, 1 to 6 percent slopes                          | 17.32 | 11.6%            |                      | > 6.5ft.                    | Well drained                 | IIIs             | 65               |
| 382B                    | Bertrand silt loam, 1 to 6 percent slopes                         | 7.96  | 5.3%             |                      | > 6.5ft.                    | Well drained                 | IIe              | 84               |
| 626A                    | Arenzville silt loam, 0 to 3 percent slopes, occasionally flooded | 7.70  | 5.2%             |                      | > 6.5ft.                    | Moderately well drained      | IIw              | 88               |
| 306A                    | Whitehall silt loam, 0 to 3 percent slopes, occasionally flooded  | 6.61  | 4.4%             |                      | > 6.5ft.                    | Moderately well drained      | IIs              | 71               |
| 561F                    | Tarr sand, 15 to 60 percent slopes                                | 5.00  | 3.3%             |                      | > 6.5ft.                    | Excessively drained          | VIIIs            | 12               |
| 420B                    | Bilson fine sandy loam, 2 to 6 percent slopes                     | 3.69  | 2.5%             |                      | > 6.5ft.                    | Well drained                 | IIIs             | 56               |
| 448A                    | Sooner silt loam, 0 to 3 percent slopes                           | 2.66  | 1.8%             |                      | > 6.5ft.                    | Somewhat poorly drained      | IIw              | 72               |
| 254E2                   | Norden silt loam, 20 to 30 percent slopes, moderately eroded      | 2.45  | 1.6%             |                      | 3.1ft. (Paralithic bedrock) | Well drained                 | VIe              | 14               |
| 213E2                   | Hixton silt loam, 20 to 30 percent slopes, moderately eroded      | 1.61  | 1.1%             |                      | 3.2ft. (Paralithic bedrock) | Well drained                 | VIe              | 17               |
| 213D2                   | Hixton silt loam, 12 to 20 percent slopes, moderately eroded      | 0.95  | 0.6%             |                      | 3.2ft. (Paralithic bedrock) | Well drained                 | IVe              | 58               |
| 255F                    | Urne fine sandy loam, 30 to 45 percent slopes                     | 0.71  | 0.5%             |                      | 3ft. (Paralithic bedrock)   | Well drained                 | VIIe             | 13               |
| <b>Weighted Average</b> |                                                                   |       |                  |                      |                             |                              | <b>3.27</b>      | <b>*n 59</b>     |

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.