


G19 - SC Newberry Co  
73.9 Acres



# C19 - SC Newberry Co

## Soil Report

Symbol	Map Unit Description	Farmland class	Area (AC)	Available Water Storage (0-150cm - Weighted Average)	Flooding Frequency (Maximum)	Drainage Class (Dominant Condition)	Drainage Class (Wettest Component)	Hydric Classification	Water Table Depth (Annual Minimum)	Water Table Depth (April to June Minimum)	Bedrock Depth (Minimum)	Soil Order
WWE2	Wynott-Wilkes complex, 15 to 25 percent slopes, moderately eroded	Not prime farmland	0	8.3	None	Well drained	Well drained	0	0	0	46	Alfisols
WYC2	Wynott-Winnsboro complex, 6 to 10 percent slopes, moderately eroded	Not prime farmland	0	10.0	None	Well drained	Well drained	0	0	0	74	Alfisols
CnA	Chenneby silt loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently 1	0	27.3	Frequent	Somewhat poorly drained	Somewhat poorly drained	5	51	0	0	Inceptisols
WyB2	Wynott-Winnsboro complex, 2 to 6 percent slopes, moderately eroded	Farmland of statewide importance	0	10.0	None	Well drained	Well drained	0	0	0	74	Alfisols