

Stargazer Aerial - Whole

Soil Report

Symbol	Map Unit Description	Farmland class	Area (AC)	Available Water Storage (0-150cm - Weighted Average)	Flooding Frequency (Maximum)	Drainage Class (Dominant Condition)	Drainage Class (Wettest Component)	Hydric Classification	Water Table Depth (Annual Minimum)	Water Table Depth (April to June Minimum)	Bedrock Depth (Minimum)	Soil Order
PaF	Pacolet sandy loam, 15 to 40 percent slopes	Not prime farmland	0	18.9	None	Well drained	Well drained	0	0	0	0	Ultisols
CaB	Cataula sandy loam, 2 to 6 percent slopes	Farmland of statewide importance	0	14.8	None	Moderately well drained	Moderately well drained	0	89	89	0	Ultisols
CcD	Cecil sandy loam, 10 to 15 percent slopes	Not prime farmland	0	20.9	None	Well drained	Well drained	0	0	0	0	Ultisols
CaC	Cataula sandy loam, 6 to 10 percent slopes	Not prime farmland	0	14.8	None	Moderately well drained	Moderately well drained	0	89	89	0	Ultisols
Tc	Toccoa sandy loam	Farmland of statewide importance	0	16.5	Occasional	Moderately well drained	Moderately well drained	4	114	114	0	Entisols
CbC2	Cataula sandy clay loam, 6 to 10 percent slopes, eroded	Not prime farmland	0	15.6	None	Moderately well drained	Moderately well drained	0	89	89	0	Ultisols
PaE	Pacolet sandy loam, 15 to 25 percent slopes	Not prime farmland	0	19.0	None	Well drained	Well drained	0	0	0	0	Ultisols
PcE3	Pacolet clay loam, 10 to 25 percent slopes, eroded	Not prime farmland	0	19.5	None	Well drained	Well drained	0	0	0	0	Ultisols
CdC	Cecil sandy loam, 6 to 10 percent slopes	Farmland of statewide importance	0	17.6	None	Well drained	Well drained	0	0	0	0	Ultisols
Ch	Chewacla loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the g	0	26.9	Frequent	Somewhat poorly drained	Somewhat poorly drained	5	25	0	0	Inceptisols