



Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
 County: **Olmsted**
 Location: **31-106N-12W**
 Township: **Eyota**
 Acres: **72.51**
 Date: **11/17/2025**



Maps Provided By:

© AgriData, Inc. 2023

www.AgriDataInc.com



Area Symbol: MN109, Soil Area Version: 20

| Code | Soil Description | Acres | Percent of field | PI Legend | Non-Irr Class *c | Productivity Index | *n NCCPI Corn | *n NCCPI Soybeans |
|------------------|--|-------|------------------|-----------|---------------------|--------------------|------------------|-------------------|
| 489A | Atkinson loam, 0 to 1 percent slopes | 14.86 | 20.6% | | Is | 61 | 69 | 61 |
| 27A | Dickinson sandy loam, 0 to 1 percent slopes | 13.54 | 18.7% | | IIIs | 60 | 65 | 46 |
| 299B | Rockton loam, 1 to 6 percent slopes | 10.69 | 14.7% | | Ile | 53 | 63 | 53 |
| 479 | Floyd silt loam, 1 to 4 percent slopes | 8.65 | 11.9% | | IIw | 100 | 71 | 75 |
| 489B | Atkinson loam, 1 to 6 percent slopes | 5.48 | 7.6% | | Ile | 60 | 51 | 39 |
| 2A | Ostrander silt loam, 0 to 2 percent slopes | 4.28 | 5.9% | | Iw | 100 | 74 | 69 |
| 472B | Channahon loam, 1 to 6 percent slopes | 3.46 | 4.8% | | IIIe | 31 | 40 | 31 |
| 299A | Rockton loam, 0 to 1 percent slopes | 3.44 | 4.7% | | IIIs | 58 | 64 | 54 |
| 216B | Lamont sandy loam, 2 to 6 percent slopes | 3.18 | 4.4% | | IIIe | 72 | 62 | 44 |
| 1812B | Terril loam, sandy substratum, 1 to 6 percent slopes | 2.49 | 3.4% | | Ile | 90 | 84 | 80 |
| 283B | Plainfield loamy sand, river valley, 1 to 6 percent slopes | 2.35 | 3.2% | | IVs | 32 | 35 | 21 |
| 483B | Waukee loam, 2 to 5 percent slopes | 0.09 | 0.1% | | IIIs | 66 | 82 | 69 |
| Weighted Average | | | | | 2.08 | 65.5 | *n 64 | *n 54.4 |

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.