
Neshoba County 67 Neshoba County, Mississippi, 67 AC +/-



D Boundary D Boundary



| 🔁 All Polygons 59.1 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
OrD2	Ora fine sandy loam, 8 to 12 percent slopes, eroded	9.0	15.24	4e
SmE	Smithdale fine sandy loam, 12 to 17 percent slopes, eroded	0.0	0.01	6e
StA	Stough fine sandy loam, 0 to 2 percent slopes	3.5	5.94	2w
Kr	Kirkville fine sandy loam, 0 to 2 percent slopes, occasionally flooded	18.1	30.67	2w
SwF	Sweatman silt loam, 17 to 35 percent slopes	3.0	5.1	7e
Bb	Bibb sandy loam, 0 to 2 percent slopes, occasionally flooded	13.1	22.24	4w
OrB2	Ora fine sandy loam, 2 to 5 percent slopes, moderately eroded	2.2	3.69	2e
BM	Bibb-Mantachie association, frequently flooded	3.9	6.66	5w
Gu	Guyton silt loam, 0 to 1 percent slopes, rarely flooded	5.8	9.88	3w
SmD2	Smithdale fine sandy loam, 8 to 12 percent slopes, moderately eroded	0.3	0.53	4e
SmF	Smithdale fine sandy loam, 17 to 40 percent slopes	0.0	0.04	7e
TOTALS		59.1	100%	3.32

|D Boundary 1.0 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
OrD2	Ora fine sandy loam, 8 to 12 percent slopes, eroded	0.2	16.77	4e
SmE	Smithdale fine sandy loam, 12 to 17 percent slopes, eroded	0.0	0.52	6e
StA	Stough fine sandy loam, 0 to 2 percent slopes	0.8	82.71	2w
TOTALS		1.0	100%	2.36

|D Boundary 25.7 ac

SOIL CODE	SOIL DESCRIPTION		%	CAP
OrD2	Ora fine sandy loam, 8 to 12 percent slopes, eroded	5.9	22.95	4e
Kr	Kirkville fine sandy loam, 0 to 2 percent slopes, occasionally flooded	5.2	20.17	2w
StA	Stough fine sandy loam, 0 to 2 percent slopes	2.7	10.41	2w
SwF	Sweatman silt loam, 17 to 35 percent slopes	2.8	10.87	7e
Bb	Bibb sandy loam, 0 to 2 percent slopes, occasionally flooded	7.0	27.11	4w
OrB2	Ora fine sandy loam, 2 to 5 percent slopes, moderately eroded	2.2	8.49	2e
TOTALS		25.7	100%	3.54

|D Boundary 32.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
BM	Bibb-Mantachie association, frequently flooded	3.9	12.14	5w

OrD2	Ora fine sandy loam, 8 to 12 percent slopes, eroded	2.9	9.09	4e
Kr	Kirkville fine sandy loam, 0 to 2 percent slopes, occasionally flooded	12.9	39.95	2w
Gu	Guyton silt loam, 0 to 1 percent slopes, rarely flooded	5.8	18.02	3w
SwF	Sweatman silt loam, 17 to 35 percent slopes	0.2	0.68	7e
SmD2	Smithdale fine sandy loam, 8 to 12 percent slopes, moderately eroded	0.3	0.98	4e
Bb	Bibb sandy loam, 0 to 2 percent slopes, occasionally flooded	6.2	19.07	4w
SmF	Smithdale fine sandy loam, 17 to 40 percent slopes	0.0	0.08	7e
TOTALS		32.4	100%	3.16

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

1	2	3	4	5	6	7	8
•							
	•						
					+		
	+						
		+					
+							
	• • • •	· · · · · · · · · · · · · · · · · · ·	· · · ·	· · · · ·	· · · · · ·	 	 • • • • • • • • • • • • • • • • • • • • • •

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water