
## 155 Acres Newton County, MS

Mississippi, 155 AC +/-





## | Boundary 153.58 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
Ma	Mantachie soils (bibb) (0 to 2 percent slopes)	54.66	35.59	0	69	3w
ScD3	Shubuta clay loam, severely eroded sloping phase (8 to 12 percent slopes)	43.62	28.4	0	55	6e
ScC3	Shubuta clay loam, severely eroded gently sloping phase (5 to 8	25.28	16.46	0	56	4e
SdD2	Shubuta fine sandy loam, eroded sloping phase (8 to 12 percent slopes)	14.07	9.16	0	63	4e
SmE	Smithdale fine sandy loam, 12 to 17 percent slopes	4.68	3.05	0	69	6e
ShA	Stough very fine sandy loam, level phase (quitman) (0 to 2 percent slopes)	4.08	2.66	0	75	2w
SdB2	Shubuta fine sandy loam, eroded very gently sloping phase (2 to	2.93	1.91	0	65	2e
РаВ	Prentiss very fine sandy loam, very gently sloping phase (savannah) (2 to 5 percent slopes)	2.57	1.67	0	56	2e
ScE3	Shubuta clay loam, severely eroded strongly sloping phase (sweatman) (12 to 17 percent slopes)	1.68	1.09	0	62	7e
RaC3	Ruston fine sandy loam, severely eroded gently sloping phase (5	0.01	0.01	0	67	4e
TOTALS		153.5 9(*)	100%	-	62.12	4.18

<sup>(\*)</sup> Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water